Claims

- [c1] 1.A spill cleaning device comprising:
 a cleaning pad member;
 at least one squeegee member connected to said cleaning pad member and
 at least one sachet member connected to said cleaning pad member.
- [c2] 2.A spill cleaning device of claim 1 wherein the cleaning pad member is comprised of an absorbent material.
- [03] 3.A spill cleaning device of claim 1 further including an attachment means.
- [c4] 4.A spill cleaning device of Claim 1 wherein the cleaning pad member is made from a non-woven fabric.
- [05] 5.A spill cleaning device of claim 1 wherein the sachet member is attached to the cleaning pad member.
- [c6] 6.A spill cleaning device of Claim 1 wherein the sachet member is within the cleaning pad member.
- [c7] 7.A spill cleaning device of Claim 1 wherein the sachet member contains a liquid.

- [08] 8.A spill cleaning device of Claim 7 wherein the liquid in the sachet member is a sanitizing liquid.
- [09] 9.A spill cleaning device of Claim 7 wherein the liquid in the sachet member is a cleaner.
- [c10] 10.A spill cleaning device of Claim 1 wherein the squeegee member is attached to the cleaning pad member.
- [c11] 11.A spill cleaning device of claim 1 wherein the squeegee member is made of a natural or synthetic rubber material.
- [c12] 12.A spill cleaning device of claim 1 wherein the squeegee member is attached to a front of the cleaning pad member.
- [c13] 13.A spill cleaning device of claim 12 wherein the squeegee member is concave in shape.
- [c14] 14.A spill cleaning device of claim 12 wherein the squeegee member extends above the cleaning pad member.
- [c15] 15.A spill cleaning device of claim 1 wherein at least one squeegee member is attached to the bottom of the cleaning pad member.

- [c16] 16.A spill cleaning device of claim 15 wherein the squeegee member extends the length of the cleaning pad member.
- [c17] 17.A spill cleaning device of claim 16 wherein the squeegee member includes a cylindrical portion.
- [c18] 18.A spill cleaning device of claim 3 engaged with an attachment member.
- [c19] 19.A spill cleaning device of claim 18 wherein the attachment member includes a head.
- [c20] 20.A spill cleaning device of claim 19 wherein the attachment member has a pivoting head.
- [c21] 21.A spill cleaning device of claim 19 wherein the clean-ing pad member is engaged with the head.
- [c22] 22.A spill cleaning device comprising: a cleaning pad member; at least two squeegee members connected to said cleaning pad member and at least one sachet member connected to said cleaning pad member.
- [c23] 23.A spill cleaning device of claim 22 wherein the clean-ing pad member is comprised of an absorbent material.

- [c24] 24.A spill cleaning device of Claim 22 wherein the squeegee members are attached to the cleaning pad member.
- [c25] 25.A spill cleaning device of claim 22 wherein the squeegee members are made of a natural or synthetic rubber material.
- [c26] 26.A spill cleaning device of claim 22 wherein one squeegee member is attached to the front of the cleaning pad member and a second squeegee member is attached to the back of the cleaning pad member.
- [c27] 27.A spill cleaning device of claim 25 wherein the squeegee member is concave in shape.
- [c28] 28.A spill cleaning device of claim 27 wherein the concave squeegee member extends above the cleaning pad member.
- [c29] 29.A spill cleaning device of claim 22 wherein the squeegee members are attached to the bottom of the cleaning pad member.
- [c30] 30.A spill cleaning device of claim 29 wherein the squeegee members extend the length of the cleaning pad member.
- [c31] 31.A spill cleaning device of claim 29 wherein the

- squeegee members including a cylindrical portion.
- [c32] 32.A spill cleaning device of claim 29 wherein the sachet member is positioned between the squeegee members.
- [c33] 33.A method of absorbing a spill on a surface and cleaning the surface with a single device employing the spill cleaning device of Claim 1.
- [c34] 34.A method of absorbing a spill on a surface and cleaning the surface with a single device comprising:
 placing a cleaning pad member with at least one
 squeegee and at least one sachet member on a surface
 with a spill;
 moving the device toward the spill with the squeegee
 member positioned forward to collect solid debris; and
 collecting the liquid debris with the cleaning pad member.
- [c35] 35.The method of Claim 34 wherein the spill cleaning device includes a sachet member that contains a clean-ing liquid which when activated releases a cleaning solution to clean the surface once the spill is removed.
- [c36] 36.The method of Claim 34 wherein the spill cleaning device includes a sachet member that contains a sanitizing liquid which when activated releases a cleaning solution to clean the surface once the spill is removed.

- [c37] 37. The method of Claim 34 wherein the spill cleaning device includes at least two squeegees one in a front portion of the cleaning pad member and one at a back portion of the cleaning pad member.
- [c38] 38.The method of claim 37 wherein the spill cleaning device includes a sachet member positioned between the squeegees.
- [c39] 39. The method of Claim 34 wherein the spill cleaning device is engaged with an attachment member to be used in conjunction with the device to clean a spill off a surface.
- [c40] 40.The method of Claim 39 wherein the attachment member has a pivoting head to engage the spill cleaning device.
- device is engaged with the pivotal head of the attach—
 ment member forming an angle wherein a squeegee
 portion is on one side of the pivoting head and a sachet
 portion is on the other side of the pivitol head;
 placing the spill cleaning device on the surface and mov—
 ing the device toward the spill with the squeegee mem—
 ber forward to collect all solid debris;
 collecting the liquid debris with the cleaning pad mem—

ber;

pivoting the pivotal head of the attachment member to allow the sachet portion to contact the surface and rupture the sachet portion to release a contained material of the sachet member on the surface; and collecting the contents with cleaning pad member.

- [c42] 42. The method of claim 41 wherein the contained materials of the sachet member is a cleaner.
- [c43] 43. The method of claim 41 where in the contained materials of the sachet member is a sanitizer.